



MODEL NAME	Quest®	Go-Go® Ultra X	Go-Go® Elite Traveller Plus	Go-Go® LX w/ CTS Suspension	Revo® 2.0	Zero Turn 8	Zero Turn 10	Pathrider® ES 10	Pathrider® 10	Pathrider® 10 DX	Gopher SV	Victory® LX w/ CTS Suspension	Celebrity® DX	Celebrity® XL DX	Pathrider® 130 XL	Pathrider® 140 XL	Outback®	Sport Rider
FRONT TYRES	4cm x 18cm (1.5"x 7") solid	5cm x 20.3cm (2"x8") (3W) 5cm x 17.8cm (2"x7") (4W) solid	5cm x 20.3cm (2"x 8") solid	5cm x 17.8cm (2"x 7") solid	7.6cm x 20.3cm (3"x 8") solid	5cm x 17.8cm (2"x 7") solid	22.8cm x 7cm (9"x 2.75") solid	10cm x 25.4cm (4"x 10")	9cm x 25.4cm (3.5"x 10")	9cm x 25.4cm (3.5"x 10")	7.62cm x 25.4cm (3"x 10")	9cm x 25.4cm (3.5"x 10")	9cm x 25.4cm (3.5"x 10")	10cm x 33cm (4"x 13")	10cm x 33cm (4"x 13")	10cm x 33cm (4"x 13")	37cm x 15.25cm (14.5"x 6")	7cm x 48.2cm (2.75"x 19")
REAR TYRES	5cm x 20cm (1.9"x 7.8") solid	6.35cm x 20.3cm (2.5"x 8") solid	7.6cm x 22.9cm (3"x 9") solid	6.35cm x 20.3cm (2.5"x 8") solid	7.6cm x 22.9cm (3"x 9") solid	6.35cm x 22.9cm (2.5"x 9") solid	27.3cm x 8.25cm (10.75x 6") solid	10cm x 25.4cm (4"x 10") solid	9cm x 25.4cm (3.5"x 10")	10cm x 25.4cm (4"x 10")	7.62cm x 25.4cm (3"x 10")	9cm x 25.4cm (3.5"x 10")	10cm x 25.4cm (3.5"x 10")	10cm x 25.4cm (4"x 10")	10cm x 33cm (4"x 13")	10cm x 33cm (4"x 13")	37cm x 15.25cm (14.5"x 6")	7cm x 48.2cm (2.75"x 19")
MAXIMUM SPEED <sup>2</sup>	Up to 6km/h	Up to 6.4km/h	Up to 7.2km/h	Up to 7km/h	Up to 8km/h	Up to 6.4km/h	Up to 10km/h	Up to 10km/h	Up to 10km/h	Up to 10km/h	Up to 10km/h	Up to 9km/h	Up to 10km/h	Up to 10km/h	Up to 10km/h	Up to 10km/h	Up to 10km/h	Up to 10km/h
GROUND CLEARANCE <sup>4,13,16</sup>	6cm (1.3") at frame	5.7cm (2.25") at midframe 3.2cm (1.25") at motor	7.62cm (3") at frame	6.4cm (2.5") at frame 3.8cm (1.5") at motor	8.9cm (3.5") at frame 3.2cm (1.25") at motor	8.9cm (3.5") at frame 3.3cm (1.3") at motor	5cm (2") at motor	8.8cm (3.5") at frame	7.6cm (3") at midframe	8.25cm (3.25") at midframe	4cm (1.5") at rear frame	5.6cm (2.2") at motor	8.25cm (3.25")	10.8cm (4.25")	19.7cm (3.8")	13.3cm (5.25") at midframe	14cm (5.5") at motor	12.7cm (5") at shroud
3-W TURING RADIUS <sup>1</sup>	N/A	83.8cm (33")	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	105.41cm (41.5")	N/A	N/A	N/A	N/A	158cm (62.2")
4-W TURING RADIUS <sup>1</sup>	82cm (32")	111.8cm (44")	116.1cm (45.72")	113.6cm (44.75")	132.1cm (52")	97.2cm (38.25")	109cm (43")	132cm (52")	172cm (67.7")	133.35cm (52.5")	143cm (5.6")	152cm (59.9")	149.85cm (59")	168.3cm (66.25")	170cm (67")	210cm (83") right 208cm (82") left	243cm (95.6")	N/A
3-W LEGTH/ WIDTH <sup>4,12</sup>	N/A	94cm/49.5cm (37"/19.5")	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	116.84cm/61cm (46"/24")	N/A	N/A	N/A	N/A	165cm/78cm (65"/30.7")
4-W LEGTH/ WIDTH <sup>4,12</sup>	93cm/48.5cm (36"/19")	100.3cm/49.5cm (39.5"/19.5")	102.3cm/54cm (40.25"/21.25")	104cm/52.1cm (41"/20.5")	119.4cm/52.7cm (47"/20.75")	116cm/50.8cm (45.75"/20")	122cm/61.6cm (48"/24.25")	115.6cm/57.15cm (45.5"/22.5")	115cm/56.5cm (45.25"/22.25")	119.4cm/56.2cm (47"/22.13")	119cm/59cm (46.8"/23.2")	119.4cm/56.5cm (47"/22.25")	118.7cm/61cm (46.75"/24")	130.2cm/64.1cm (51.25"/25.25")	136cm/63.65cm (53.54"/25")	142.8cm/69.2cm (56.25"/27.25")	156cm/83cm (61.4"/32.6")	N/A
SEAT-TO-GROUND HEIGHT RANGE	51cm (20") Fixed	46cm - 51.13cm (18.13" - 20.13")	52cm - 55.88cm (20.5" - 22")	52.7cm - 56.5cm (20.75" - 22.25")	53.3cm - 60cm (21" - 23.5")	53.3cm - 60cm (21" - 23.5")	58.4cm - 63.5cm (23" - 25")	51.4cm - 55.2cm (20.25" - 21.75")	52cm - 55.8cm (20.5" - 22")	60cm - 63.8cm (23.6" - 25.1")	61cm - 64cm (24" - 25.2")	60cm - 64.8cm (23.5" - 25.5")	58.5cm - 61.5cm (23" - 24.25")	54cm - 64cm (21.25" - 25.25")	56.7cm (22.3")	66.7cm - 70.5cm (26.25" - 27.75")	76cm - 80cm (30" - 31.5")	55.37 (21.8")
SEAT TYPE (STANDARD)	Compact, Foldable, Molded Plastic 41cm x 33cm (16" x 13")	Compact, Foldable, 43cm x 43cm (17" x 17")	Compact, Foldable, 43cm x 43cm (17" x 17")	Compact, Foldable, 43cm x 43cm (17" x 17")	Compact, Foldable, 50.8cm x 45.7cm (20" x 18")	Compact, Foldable 43cm x 43cm (17" x 17")	Pillow Top Deluxe H-B w/Sliders 49.5cm x 44.5cm (19.5"x 17.5")	Foldable Molded Plastic 46cm x 43cm (18" x 17")	Foldable Molded Plastic 46cm x 43cm (18" x 17")	CRS Junior Seat 44.25cm x 43cm (17.5" x 17")	Foldable Molded Plastic 48cm x 42cm (19" x 16.5")	Reclining H/B w/ Sliders & Headrest 46cm x 46cm (18" x 18")	Deluxe Molded Plastic w/Sliders 48.25cm x 40.5cm (19" x 16")	CRS Deluxe Reclining H-B w/ Sliders & Headrest 46cm x 46cm (18" x 18")	Pillow Top Deluxe H-B w/Sliders 49.5cm x 44.5cm (19.5" x 17.5")	Pillow Top Deluxe H-B w/Sliders 49.5cm x 44.5cm (19.5" x 17.5")	Pillow Top Deluxe H-B w/Sliders 49.5cm x 44.5cm (19.5" x 17.5")	Captains High-Back Adjustable Seat 51cm x 56cm (20" x 22")
(3/4 WHEEL) WEIGHT <sup>3,4,14</sup>	N/A / 23.5kg	34.5kg/36.3kg	N/A/39.5kg	N/A/39.6kg	N/A/60kg	N/A/54kg	N/A/82.1kg	N/A/59.4kg	N/A/62.4kg	N/A/84.8kg	N/A/68.9kg	N/A/81.2kg	70.76kg/75kg	N/A/112kg	N/A/99.8kg	N/A/117.7kg	N/A/124kg	115kg/N/A
SEAT-TO-DECK HEIGHT RANGE	34cm (13.4") Fixed	40cm - 43.8cm (15.75" - 17.25")	41.3cm - 45cm (16.25" - 17.75")	41.3cm - 43.8cm (16.25" - 17.25")	38.1cm - 45.7cm (15" - 18")	40.6cm - 45.7cm (16" - 18")	45.5cm - 50cm (17.9" - 19.68")	41.8cm - 47.6cm (17.25" - 18.75")	43.8cm - 47.6cm (17.2" - 18.75")	44.5cm - 48.3cm (17.5" - 19")	46cm - 49cm (18.1" - 19.3")	42cm - 47cm (16.5" - 18.5")	41cm - 44.5cm (16.25" - 17.5")	43.2cm - 53.3cm (17" - 21")	47cm (18.5")	53.3cm - 57cm (21" - 22.5")	50cm - 53cm (19.6" - 21")	47.5cm (18.7")
BATTERY WEIGHT <sup>11</sup>	2.3kg	4.08kg ea	5.94kg ea	5.94kg ea	10.58kg ea	5.94kg ea	14.28kg ea	10.58kg ea	10.58kg ea or 14.28kg ea	10.58kg ea or 14.28kg ea	14.28kg ea	14.28kg ea	10.58kg ea or 14.28kg ea	14.28kg ea	16.92kg ea	23.02kg ea	27.78kg ea	23.02kg ea.
BATTERY REQUIREMENTS <sup>7</sup>	Litium 11.5AH	(2) 12AH	(2) 18AH	(2) 18AH	(2) 31AH	(2) 22AH	(2) 40AH	(2) 31AH	(2) 31AH or (2) 40AH	(2) 31AH or (2) 40AH	(2) 40AH	(2) 40 AH	(2) 31AH or (2) 40AH	(2) 40 AH	(2) 55 AH	(2) 70 AH	(2) 100 AH	(2) 70 AH
PER CHARGE RANGE (MAX) <sup>2,9</sup>	Up to 20km	3W: Up to 11km 4W: Up to 11.5km	Up to 21km	Up to 16.9km	Up to 21km	Up to 16km	Up to 28.8km	Up to 17.9km	Up to 25km	Up to 25km with 40 AH batteries	Up to 38km	Up to 26km	Up to 20.6km	Up to 40.2km <sup>18</sup>	Up to 25km	Up to 35km	Up to 35km	Up to 35km
BATTERY CHARGER	Litium Off-Board 2.5A	Off-Board, 2A	Off-Board, 2A	Off-Board, 2A	Off-Board, 3.5A	Off-Board, 3.5A	Off-Board, 3.5A	Off-Board, 3A	Off-Board, 3A (32AH) Off-Board, 5A (40AH)	Off-Board, 3A (32AH) Off-Board, 5A (40AH)	Off-Board, 5A	Off-Board, 5A	Off-Board, 5A	Off-Board, 5A	Off-Board, 8A	Off-Board, 8A	Off-Board, 8A	Off-Board, 8A
SUSPENSION	N/A	N/A	N/A	Front & Rear	Front & Rear	Front & Rear	Front & Rear	N/A	N/A	Front & Rear	Front & Rear	Front & Rear	Front & Rear	3W Rear 4W Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
MAXIMUM WEIGHT CAPACITY	115kg	118kg	136kg	136kg	170kg	136kg	181.4kg	158kg	159kg	158.75kg	160kg	181.4kg	159kg	159kg	159kg	181kg	159kg	181kg
STANDARD BODY COLOURS	White	Red	Red, Blue	Red, Blue	Grey Street, True Blue	Fire Opal, Pearl White, Sapphire Blue	Candy Apple Red	Red	Viper Blue	Viper Blue	Red	Candy Apple Red	Candy Apple Red	Candy Apple Red, Silver	Candy Apple Red, Mercury Silver	Candy Apple Red, Yellow, Silver	Stone Grey	Black
WEIGHT OF HEAVIEST PIECE <sup>4</sup>	4W 23.5kg (does not disassemble)	3W: 13.4kg 4W: 15.4kg (front sections)	4W: 15.4kg (front section)	4W: 16.6kg (front section)	4W: 25.9kg (front section)	4W: 21.8kg (rear section)	4W: 34kg (rear section)	4W: 25.8kg (front section)	4W: 27.7kg (rear section)	4W: 29.5kg (front section)	4W: 50.8kg (does not disassemble)	4W: 35.2kg (rear section)	3W: 27.5kg 4W: 32kg (front section)	4W: 37.6kg (front section)	4W: 34kg (rear section)	4W: 93kg (main frame)	4W: 99kg (main frame)	3W: 92.3kg (main frame) 4W: N/A
AVAILABLE IN 3-WHEEL FORMAT	NO	YES	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	NO	NO	YES
AVAILABLE IN 4-WHEEL FORMAT	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	NO
TRAVEL MOBILITY						ZERO TURN SERIES			MID-SIZED LUXURY						FULL-SIZE LUXURY			

1. All shroud panels included.

2. Varies with user weight, terrain type, battery amp- hour (AH), battery charge,battery condition and tire condition.

3. This specification can be subject to a variance of (+ or -) 10%.

4. Battery weight not included.

5. Due to manufacturing tolerances and continual product improvement, this specification can be subject to variance of + or - 3%.12 AH battery pack weighs 8.8 kg (19.5 lbs.).

6. Durable solid plastic.

7. Deep cycle (AGM or gel cell type recommended).

8. 18 AH battery pack weighs 13.4 kg (29.5 lbs.).

9. Tested in accordance with ANSI/RENSA, WC Vol 2, Section 4 and ISO 7176-4 standards. Results derived from theoretical calculations based on battery specifications and drive system performance.

Test conducted at maximum weight capacity.

10. Up to 14 miles per charge on 18 AH batteries.

11. Battery weight may vary based on manufacturer.

12. Width of base (not including seat).

13. Does not account for anti-tip clearance.

14. Includes standard seat weight.

15. Requires upgrade to medium or high-back contoured seat; additional charges apply.

16. At midframe.

\*International configuration shown

The information contained herein is correct at the time of publication; due to Pride’s commitment to constant improvement and development, we reserve the right to alter specifications without prior notice. Theoretical range is calculated under test conditions in accordance with European standards. Actual range in normal use will depend on many factors, including the condition of the vehicle and its batteries, the weight of the driver, correct tyre pressures, ambient temperature, and the gradient and surface of the road or pavement.

20-24 Apollo Drive, Hallam VIC 3803  
ACN 088 609 661    ABN 66 088 609 661

Tel: 03 8770 9600

www.pridemobility.com.au

AU\_SCE2E\_21-08-20

POWER CHAIR SPECIFICATIONS

END-TO-END



MODEL NAME	Jazzy® Passport	Go Chair NG®	Jazzy® Select 6	Jazzy® Elite HD	Jazzy® Air 2	Jazzy® 623 2.0	Jazzy® 1450	R-40
WEIGHT CAPACITY	113kg	136kg	136kg	204kg <sup>7</sup>	136kg	136kg	273kg	136kg
TURNING RADIUS <sup>1</sup>	61.6cm (24.25")	64.5cm (25.4")	54.6cm (21.87")	61cm (24")	52.8cm (20.75")	52.1cm (20.5")	67.3cm (26.5")	96.5cm (38") with foot riggings
WIDTH <sup>1</sup>	59.7cm (23.5")	57.4cm (22.6")	59.7cm (23.5")	61.6cm (24.25")	61.6cm (24.2")	62.2cm (24.4")	74.3cm (29.25")	63.5cm (25") at rear wheels
LENGTH <sup>1,2</sup>	101.6cm (40")	83.85cm (33")	90.2cm (35.5")	90.2cm (35.5")	106cm (41.7")	90.2cm (35.5")	97.16cm (38.25")	89cm (35")
MAXIMUM SPEED <sup>3</sup>	Up to 5.8km/h	5.95km/h	Up to 6.8km/h	Up to 6.4km/h	Up to 6.4km/h	Up to 8km/h	Up to 7.2km/h	Up to 10km/h
GROUND CLEARANCE <sup>1</sup>	7.9cm (3") at motor	4.8cm (1.9") at frame	4.45cm (1.75") at motors and at centre frame	7.6cm (3")	7.6cm (2.9") 2.5cm (1") at motor bracket	7.62cm (3") at rear castor	3.81cm (1.5")	7.3cm (2.87")
FRONT WHEELS	20.3cm (8") solid front castors	15.2cm (6") solid castors	15.24cm (6") solid castors	7.6cm (3") solid anti-tips	15.2cm (5.9") solid castors	15.25cm (6") solid castors	10.61cm (4") solid anti-tips	22.8cm (9") pneumatic castors
DRIVE WHEELS	30.5cm (12") pneumatic	21.3cm (8.3") solid	25.4cm (10") solid	35.6cm (14") solid	25.4cm (10") solid	35.56cm (14") pneumatic	35.53cm (14") solid	35.53cm (14") pneumatic
REAR WHEELS	N/A	7.6cm (3") solid anti-tips	15.24cm (6") solid castors	15.2cm (6") solid castors	15.2cm (5.9") solid castor	20.32cm (8") solid castors	22.9cm (9") castors	7.6cm (3") solid rear anti-tips
DRIVE TRAIN	2X 180W brushed motors	Two-motor, rear-wheel drive	Two-motor, in-line, mid-wheel drive	Two-motor front-wheel drive	Two-motor, in-line, mid-wheel drive	Two-motor, in-line, mid-wheel 6"	Two-motor front-wheel drive	Two-motor rear-wheel drive
BRAKING SYSTEM	Regenerative and Electro-mechanical	Regenerative and Electro-mechanical	Regenerative and electro-mechanical	Regenerative and electro-mechanical	Regenerative and Electro-mechanical	Regenerative and electro-mechanical	Regenerative and electro-mechanical	Regenerative and electro-mechanical
SUSPENSION TYPE	Limited	Limited	Active-Trac® (ATX)	Limited	Active-Trac® with Mid-Wheel 6 technology	Active-Trac® (ATX)	Swing Arm	Adjustable
HIGH-BACK SEAT-TO-FLOORRANGE	N/A	N/A	54cm - 59cm (21.25" - 23.25")	50.8cm - 55.9cm (20" - 22")	54m - 84cm (21.25" - 33.1")	52cm - 59.7cm (20.5" - 23.5")	52cm - 57.2cm (20.5" - 22.5")	N/A
SYNERGY® SEATING	N/A	N/A	N/A	N/A	N/A	Yes (Contact your nearest Pride® stocklist for more information)	Yes (Contact your nearest Pride® stocklist for more information)	N/A
TRU-BALANCE®	N/A	N/A	N/A	N/A	N/A	Yes (Quantum® dealers only)	N/A	N/A
SPECIALTY CONTROLS	N/A	N/A	N/A	N/A	N/A	Yes	Yes	N/A
STANDARD ELECTRONICS	50A, PG VSI	40A, PG GC3	40A, PG GC3 <sup>4</sup>	75A, Dynamic Shark	40A, VR2	75A, Dynamic Shark	90A, PG VR2	70A, PG VR2
BATTERY SIZE (2 REQUIRED)	24V 18 Lithium ion	12 volt, 18 AH	12 volt, 35 AH	12 volt, 55 AH	12 volt, 40 AMP	12 volt, 55 AH	12 volt, 70 AH	12 volt, 50 AH
STANDARD BATTERY CHARGER	2A off-board, Lithium	2A off-board	3.5A, off-board	5A, off-board	5A off-board	8A, off-board	8A, off-board	5A, off-board
PER-CHARGE RANGE <sup>3,6</sup>	Up to 15.44km	Up to 14km	Up to 21km	Up to 15.8km	Up to 27km	Up to 25km	Up to 25.3km	Up to 25km
BATTERY WEIGHT <sup>8</sup>	4kg each	14kg battery box	10.58kg each	16.92kg each	14.28 each	16.92kg each	23.02kg each	16.92kg each
WEIGHT OF HEAVIEST PIECE <sup>5</sup>	24.4kg	30kg	45.4kg	44kg	91.5kg	62kg	88.5kg	47.6kg
STANDARD SEAT WEIGHT	N/A (seat is intergrated with the base) (sling)	13.6kg	20kg (comfort, high-back)	23.6kg (high-back)	23kg (high-back)	20kg (high-back)	26kg (high-back)	N/A (seat is intergrated with the base) (sling with power tilt)
STANDARD SEAT SIZE	44.4cm x 41cm (17.5" x 16.5")	46cm x 43cm (18" x 17")	46cm x 46cm (18" x 18")	51cm x 46cm (20" x 18"), 51cm x 55cm (20" x 22")	46cm x 46cm (18" x 18")	46cm x 46cm (18" x 18")	61cm x 83cm (24" x 32")	40.6cm x 45.7cm (16" x 18")
COLOUR OPTIONS	Pewter	Ruby Red, Pearl White	Ruby Red	Jazzy Red, Jazzy Blue	Black Oynx, Pearl White, Pink Topaz	Candy Apple Red, Viper Blue	Candy Apple Red, Viper Blue	Silver
	NEW GENERATION	JAZZY POWER CHAIRS						FUSION

1. Due to manufacturing tolerances and continual product improvement, this specification can be subject to a variance of + or – 3 %. Dimensions listed are for power base only. Overall measurements will vary based on seating and accessory selections.

2. Without front riggings.

3. Varies with user weight, terrain, battery type, battery condition and tire pressure.

4. Does not include seat or battery weights.
5. Tested in accordance with ANSI/RESNA, WC Vol. 2, Section 4 and ISO 7176-4 standards. Results derived from theoretical calculations based on battery specifications and drive system performance. Testing conducted at maximum weight capacities. This specification can be subject to a variance of +10%, - 5%.

6. Battery weight may vary based on manufacturer.
- ^International configuration shown

The information contained herein is correct at the time of publication; due to Pride’s commitment to constant improvement and development, we reserve the right to alter specifications without prior notice. Theoretical range is calculated under test conditions in accordance with European standards. Actual range in normal use will depend on many factors, including the condition of the vehicle and its batteries, the weight of the driver, correct tyre pressures, ambient temperature, and the gradient and surface of the road or pavement.

20-24 Apollo Drive, Hallam VIC 3803  
ACN 088 609 661 ABN 66 088 609 661

Tel: 03 8770 9600

www.pridemobility.com.au



END-TO-END



MODEL NAME	C1	C5	C6	C-101	LC-101 Euro Leather	LC-107	D30	560	660	T-3	LC-358XL
Position	3-Position Lift Chair 163 cm & below (5'4" & below)	3-Position Chaise Lounger with fully removable upholstery components 163 cm – 183 cm (5'4" – 6'0")	Infinite-Position Chaise Lounger with fully removable upholstery components 163 cm – 183 cm (5'4" – 6'0")	3-Position Chaise Lounger 163 cm – 183 cm (5'4" – 6'0")	3-Position Chaise Lounger with European style rounded arm design 163 cm – 183 cm (5'4" – 6'0")	Infinite-Position Chaise Lounger with extended length on footrest 163 cm – 183 cm (5'4" – 6'0")	Infinite-Position Chaise Lounger with extended length on footrest 163 cm – 183 cm (5'4" – 6'0")	3-Position Chaise Lounger 163 cm - 183cm (5'4"-6")	Infinite-Position Chaise Lounger 163 cm - 183cm (5'4"-6")	Infinite-Position Chaise Lounger featuring Trendelenburg position (elevates legs above head for greater relaxation) and zero-gravity position 163 cm - 183 cm (5'4" – 6'0")	3-Position Chaise Lounger 163 cm – 183 cm (5'4" – 6'0")
Weight Capacity	113 kg (250 lbs.)	170 kg (375 lbs.)	136 kg (300 lbs.)	147 kg (325 lbs.)	147 kg (325 lbs.)	147 kg (325 lbs.)	170 kg (375 lbs.)	170 kg (375 lbs.)	170 kg (375 lbs.)	170 kg (375 lbs.)	227 kg (500 lbs.)
Back Width	51 cm (20")	71 cm (28")	71 cm (28")	72 cm (28.5")	58 cm (23")	74 cm (29")	74 cm (29")	71 cm (28")	71 cm (28")	69 cm (27")	91 cm (36")
Seat-to-Floor	41 cm (16")	46 cm (18")	48 cm (19")	47 cm (18.5")	47 cm (18.5")	51 cm (20")	48 cm (19")	48 cm (19")	48 cm (19")	48 cm (19")	51 cm (20")
Seat Depth	51 cm (20")	46 cm - 51 cm (18"-20")	53 cm (21")	51 cm (20")	51 cm (20")	53 cm (21")	56 cm (22")	48 cm (19")	51 cm (20")	51 cm (20")	56 cm (22")
Seat Width	46 cm (18")	56 cm (22")	56 cm (22")	51 cm (20")	51 cm (20")	51 cm (20")	56 cm (22")	48 cm (19")	48 cm (19")	51 cm (20")	66 cm (26")
Top of Back to Seat	66 cm (26")	66 cm - 71 cm (26"-28")	66 cm - 71 cm (26"-28")	70 cm (27.5")	70 cm (27.5")	70 cm (27.5")	66 cm (26")	63 cm (25")	63 cm (25")	68.5 cm (27")	74 cm (29")
Back Style	Blown Fibre Accented Pillow-Back	Blown Fibre Sewn Pillow-Back	Blown Fibre Sewn Pillow-Back	Blown Fibre Button-Back	Blown Fibre Split-Back	Blown Fibre Sewn Split-Back	Blown Fibre Sewn Split-Back	Blown Fibre Pillow-Back	Blown Fibre Pillow-Back	Blown Fibre Mongolian-Back	Blown Fibre Button-Back
Fully Padded Chaise	Yes <sup>1,2</sup>	Yes <sup>1,2</sup>	Yes <sup>1,2</sup>	Yes <sup>1,2</sup>	Yes <sup>1,2</sup>	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>	Yes <sup>1</sup>	Yes	Yes
Intergrated Battery Backup <sup>3</sup>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Recline Positions	3	3	Infinite	3	3	Infinite	3	3	Infinite	Infinite	3
Standard Arm Covers	No	No	No	No	No	No	Yes	Yes	Yes	Yes	Yes
Standard Head Covers	No	No	No	No	No	No	Yes	Yes	Yes	Yes	Yes
Fabric Selection Guide	<div><div>Arctic Blue</div><div>Chocolate</div><div>Oatmeal</div></div>	<div><div>Arctic Blue</div><div>Chocolate</div><div>Oatmeal</div></div>	<div><div>Arctic Blue</div><div>Chocolate</div><div>Oatmeal</div><div>Levante (vinyl)</div><div>Royal Blue</div></div>	<div><div>Cocoa</div><div>Fern</div><div>Sandal</div></div>	<div>Leather:</div> <div><div>Beige</div><div>Brown</div><div>Black</div><div>Red</div></div>	<div><div>Pecan</div><div>Burgundy</div><div>Ocean</div></div>	<div><div>Ocean</div><div>Burgundy</div><div>Latte</div><div>Levante (vinyl)</div><div>Royal Blue</div></div>	<div><div>Ocean</div><div>Burgundy</div></div>	<div><div>Latte</div></div>	<div>Leather:</div> <div><div>Black</div></div>	<div><div>Latte</div><div>Levante (vinyl)</div><div>Burgundy</div></div>

C5 Seat Depth and Top of Back to Seat Footnote  
\*Frame Adjustment

C6 Top of Back to Seat Footnote  
\*Frame Adjustment

**Note:**

1. Removable fully padded chaise.  
2. All upholstery compounds are fully removable.  
3. Batteries are not included.  
4. Measurements may vary +/- 2.5cm (1")  
Specifications subject to change without prior notice.

The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice.



POSITION GUIDE	
PRODUCT VIEW	<div>LIFTED</div> <div>SEATED</div> <div>READING</div> <div>NAPPING</div> <div>RELAXING</div> <div>TRUE INFINITE</div> <div>TRENDELBURG</div> <div>ZERO GRAVITY</div>
2-Position	The 2-position TV recline is achievable on all Pride® Power Lift Recliners. This is a comfortable position for performing many relaxing activities including reading, watching TV, working on your tablet or for conversation with family and friends.
3-Position	The 3-position full recline is available on most Pride® Power Lift Recliner models and puts you in a position ideal for napping or relaxing.
True Infinite-Position	The true infinite-position recline is perfect for taking a nap. Infinite-position Pride® Power Lift Recliners enable the backrest and footrest to move independently from one another so that a variety of positions can be reached. The LC-580i and LC-525i can achieve true infinite (two, three, infinite, zero gravity, Trendelenburg) positions.
Trendelenburg	The Trendelenburg position, elevates one's feet higher than his or her heart for increased comfort and relaxation.
Zero Gravity	The zero gravity position, which can be reached on infinite-position Pride® Power Lift Recliner models, positions one's thighs and lower legs higher than his or her torso.

The lifted, seated and reading positions are achievable on all Pride® Power Lift Recliners.